

# Discovering Unrecognized Lead-Smelting Sites by Historical Methods

## ABSTRACT

William P. Eckel, MS, Michael B. Rabinowitz, PhD, and Gregory D. Foster, PhD

**Objectives.** Our objective was to enumerate unrecognized former lead smelters in the United States.

**Methods.** Defunct smelters were identified by historical research. The compiled list was compared with government registries of hazardous sites. Soil samples were taken from 10 sites.

**Results.** Approximately 430 sites were unknown to the federal authorities. Only 5 of 319 sites were known to authorities in the top 8 states. Nine of the 10 sites sampled exceeded residential standards for soil lead level.

**Conclusions.** Approximately 430 former lead-smelting sites were unrecognized in the United States. Sampling results indicate that the sites may pose a threat to public health. (*Am J Public Health*. 2001;91:625–627)

In this paper, we used historical sources to identify several hundred sites in the United States where secondary lead smelting was done from 1931 to 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust. The Agency for Toxic Substances and Disease Registry and the Environmental Protection Agency (EPA) have ranked lead as the number one priority hazardous substance at EPA Superfund sites and as a serious public health problem, especially for children.<sup>1,2</sup>

Secondary lead smelting is the recovery of lead metal and alloys from scrap, primarily lead-acid batteries. This industry expanded during the early 20th century to take advantage of this new source of scrap. Because batteries are heavy, and therefore expensive to transport, smelters were located near the largest sources of scrap (i.e., in large cities).<sup>3</sup>

Secondary lead smelting produces several wastes that can contaminate the air and soil.<sup>4–6</sup> Lead concentrations in shallow soil may reach percentage levels (i.e., 1% or more) near smelters and may persist indefinitely.<sup>7</sup> Lead in soil, dust, and residential lead paint (which is correlated with lead in soil and dust) are the primary sources of environmental lead exposure.<sup>8–10</sup>

## Methods

### Data Sources

Historical locations of secondary lead smelters were found in the *Standard Metal Directory*<sup>11</sup> and *Year Book of the American Bureau of Metal Statistics*.<sup>12,13</sup> References 14 through 18 provide information on the structure of the industry.

The regulatory status of sites was determined from the US EPA Facility Index System database and confirmed through Freedom of Information Act requests. State agencies in the 8 states with the largest number of potential unknown smelters were contacted for exhaustive lists of recognized sites<sup>19–23</sup> (also B. P. MacIntosh, California Department of Toxic Substances Control, written communication, April 2000; J. Ogden, Illinois Environmental Protection Agency, written communication, May 1999; D. Dupree, New York State Department of Environmental Conservation, written communication, April 2000).

The existence of smelters was verified by consulting Sanborn Company fire insurance

maps (viewed at the Library of Congress and the Boston Public Library) or by noting which locations were specified as “plant” or “works” in the *Standard Metal Directory*. We visited 12 sites in Baltimore, Md, and Philadelphia, Pa, and collected soil samples at 8 of those sites. Two sites were investigated by state authorities in California and Indiana<sup>24</sup> (also J. Patel and J. Wakakuwa, California Department of Toxic Substances Control, written communication, June 1996; H. Saebfar, California Department of Toxic Substances Control, written communication to H. B. Myers, RSR Corporation, August 1996, and to S. Berkin, Union Pacific Railroad, September 1996).

## Results

### Secondary Lead Smelter List

We compiled a list of 639 locations where lead smelters operated between 1931 and 1964.<sup>11–13</sup> Potential sites in 6 annual editions of the *Standard Metal Directory* were found in 2 listings: Antimonial (Battery) Lead Smelters and Babbitt and Solder Manufacturers (Babbitt metal is a lead alloy used in wheel bearings). The American Bureau of Metal Statistics list of firms that “comprises the major part of secondary pig lead production” was obtained for 1945 to 1990.<sup>12,13</sup> Sixteen sites that were apparently only office locations were later eliminated.

### Structure of the Secondary Lead Smelting Industry

We collected information on the number of firms in the industry from 1941 to 1994.<sup>15–18</sup> Apparently, “hundreds” of plants were in the business from 1941 to 1942.<sup>15,16</sup> In 1969, 150 firms were reported to be in business.<sup>18</sup> By 1994, the number of firms had declined to fewer than 20 and the number of plants to fewer than 30.<sup>6,14,18</sup>

William P. Eckel is with the Environmental Science–Public Policy Program, George Mason University, Fairfax, Va. Michael B. Rabinowitz is with the Marine Biological Laboratory, Woods Hole, Mass. Gregory D. Foster is with the Department of Chemistry, George Mason University.

Requests for reprints should be sent to William P. Eckel, MS, 321 N Langley St, Alexandria, VA 22304 (e-mail: weckel@osf1.gmu.edu).

This brief was accepted June 24, 2000.

**TABLE 1—Summary of Number of Lead-Smelting Sites, by State**

State	Total Sites Compiled	Known to Federal	Known to State	Offices Only	Remaining Sites
New York	94	8	0	5	81
Illinois	82	20	0	3	59
Pennsylvania	69	14	0	2	53
California	56	21	0	0	35
New Jersey	49	17	0	2	30
Massachusetts	34	7	5	1	21
Texas	32	12	0	0	20
Michigan	26	11	0	0	15
Ohio	25	8	... <sup>a</sup>	0	17
Indiana	23	9	... <sup>a</sup>	0	14
Missouri	17	3	... <sup>a</sup>	0	14
Maryland	12	3	... <sup>a</sup>	0	9
Minnesota	10	3	... <sup>a</sup>	0	7
Wisconsin	10	2	... <sup>a</sup>	0	8
Georgia	10	5	... <sup>a</sup>	0	5
Florida	9	3	... <sup>a</sup>	0	6
Nebraska	8	6	... <sup>a</sup>	0	2
North Carolina	7	1	... <sup>a</sup>	0	6
Tennessee	7	5	... <sup>a</sup>	0	2
Oregon	6	2	... <sup>a</sup>	1	3
Connecticut	6	2	... <sup>a</sup>	0	4
Colorado	5	2	... <sup>a</sup>	0	3
Washington	5	2	... <sup>a</sup>	0	3
Kentucky	4	0	... <sup>a</sup>	0	4
Utah	4	2	... <sup>a</sup>	0	2
Louisiana	4	2	... <sup>a</sup>	0	2
Alabama	4	3	... <sup>a</sup>	0	1
Virginia	3	2	1	0	0
Kansas	3	3	... <sup>a</sup>	0	0
Rhode Island	2	0	... <sup>a</sup>	0	2
Hawaii	2	0	... <sup>a</sup>	0	2
Arizona	2	1	... <sup>a</sup>	0	1
District of Columbia	2	0	... <sup>a</sup>	2	0
Oklahoma	1	1	... <sup>a</sup>	0	0
Montana	1	1	... <sup>a</sup>	0	0
Arkansas	1	1	... <sup>a</sup>	0	0
Idaho	1	1	... <sup>a</sup>	0	0
Delaware	1	1	... <sup>a</sup>	0	0
Mississippi	1	1	... <sup>a</sup>	0	0
West Virginia	1	1	... <sup>a</sup>	0	0
Total	639	186	6	16	431

<sup>a</sup>State records not checked.

*Comparison of Smelter List to EPA and State Databases*

Of the 639 sites, 170 (27%) were listed in the US EPA Facility Index System database; 469 sites were not listed. Through a Freedom of Information Act request, US EPA regional offices reported having files on 14 additional sites (2%). After these 14 sites and 16 “office-only” locations were eliminated, approximately 435 of the 639 sites identified in the literature search (68%) were apparently unknown to the US EPA. A further 5 sites (all in Massachusetts) were listed by state authorities among the 8 states with the largest number of sites, which left about 430 previously unrecognized potential sites (67%).

Of the 170 sites with US EPA identification numbers, 14 were Superfund National Pri-

orities List sites, and 32 had had some action taken under the Resource Conservation and Recovery Act. Thus, 46 of the 170 sites (27%) that the US EPA already knew about were

deemed contaminated enough to require federal cleanup; many others are being addressed under state authority.

Table 1 summarizes and ranks the number of sites discovered, by state, including totals and the number already known to the federal and state authorities. (Site names and addresses are available from the corresponding author.) In the 8 states surveyed (New York, Illinois, Pennsylvania, California, New Jersey, Massachusetts, Texas, Michigan), only 5 (2%) of the 319 sites unknown to the federal government were known to state authorities.

*Smelter Verification*

The American Bureau of Metal Statistics list is specifically given as “plant” locations. The *Standard Metal Directory* published a separate list of “Metal Smelters and Refiners,” which often specified whether a site was a “plant” or “works” or listed specific equipment. In the *Standard Metal Directory*, 86 sites were cross-listed as “plant” sites.

Twenty possible smelter locations were confirmed from the Sanborn Company fire insurance maps: 5 in Massachusetts, 12 in Philadelphia, Pa, and 3 in Baltimore, Md.

Table 2 summarizes the preliminary investigations of sites in Baltimore and Philadelphia. Lead concentrations above US EPA guidelines for residential (400 mg/kg) or industrial (1000 mg/kg) land uses were found at 7 of 8 sites. Distances to residential or commercial districts are generally short, indicating a high potential for exposure to lead-contaminated soil and dust. Two sites we reported to authorities in 1994 (International Lead, Los Angeles, Calif, and Vickers Warehouse, Anderson, Ind) were found to have percentage levels of lead in soil, and cleanup has been ordered<sup>24</sup> (also J. Patel and J. Wakakuwa, California Dept of Toxic Substances Control, written communication, June 1996; H. Saebfar, California Dept of Toxic Substances, written communication to H.B. Myers, RSR Corporation, August 1996, and to S. Berkin, Union Pacific Railroad, September 1996).

**TABLE 2—Preliminary Investigation of Baltimore and Philadelphia Sites**

Site Name	Soil Lead, mg/kg	Distance to Residences, blocks	City
Hanover Metals	730	1	Baltimore
Dixie Metals #1	306	1	Baltimore
Dixie Metals #2	520	2	Baltimore
North American Smelting	548	0	Philadelphia
Metro Smelting	2550	2	Philadelphia
Morgan Smelters	657	0	Philadelphia
J. Rosenthal Sons	1490	2	Philadelphia
Electric Storage Battery	1670	Unknown	Philadelphia

## Discussion

We identified approximately 430 potential lead-smelting sites previously unknown to federal and state authorities. Preliminary investigation of 10 sites indicated a high potential for exposure. This should create some sense of urgency for the investigation of the other sites identified here because they may represent a significant source of exposure to lead in their local environments. Our experience indicates that a significant fraction of the sites discovered in this work will require remediation. Most sites will not have viable responsible parties, which means that the state or the federal government will have to pay for any cleanup. □

## Contributors

W.P. Eckel performed all the library research and computerized database research, performed the field sampling, interpreted the analysis results, and wrote and edited the paper. M.B. Rabinowitz provided guidance to the research project as an expert in environmental lead, assisted in the editing and revision of the paper, and approved the final version. G.D. Foster provided overall direction of the research project, assisted in the editing and revision of the paper, and approved the final version.

## Acknowledgments

We thank Quanterra Laboratories of Pittsburgh, Pa, for soil sample analysis.

## References

1. Xintaras C. *Analysis Paper: Impact of Lead-Contaminated Soil on Public Health*. Atlanta, Ga: Agency for Toxic Substances and Disease Registry, Public Health Service; May 1992.
2. Agency for Toxic Substances and Disease Registry. *The Nature and Extent of Lead Poisoning in Children in the United States*. Report to 100th Cong, 2nd Sess (July 1988).
3. Robinson IM. Lead as a factor in the world economy. In: Nriagu JO, ed. *Biogeochemistry of Lead in the Environment*. Amsterdam, the Netherlands: Elsevier; 1978:100–109.
4. Radian Corp. *Evaluation of Paul Bergsoe and Son Secondary Lead Smelter*. Prepared for: Industrial Environmental Research Laboratory, Environmental Protection Agency, Cincinnati, Ohio, 1980. NTIS report PB80-176803.
5. *Secondary Lead Smelting. Background Information Document for Proposed Standards, Volume 1: NESHAP* (National Exposure Standards for Hazardous Air Pollutants). Research Triangle Park, NC: US Environmental Protection Agency; 1994. EPA-453/R-94-024a. NTIS report PB94-187556.
6. *Air Quality Criteria for Lead* [addendum was published in September 1986]. Research Triangle Park, NC: US Environmental Protection Agency; June 1986. EPA 600/8-83-018F.
7. Bogess WR, ed. *Lead in the Environment*. Washington, DC: National Science Foundation; 1977. NSF/RA-770214.
8. Lanphear BP, Matte TD, Rogers J, et al. The contribution of lead-contaminated house dust and residential soil to children's blood lead levels: a pooled analysis of 12 epidemiologic studies. *Environ Res*. 1998;79:51–68.
9. Jacobs DE. Lead-based paint as a major source of childhood lead poisoning: a review of the evidence. In: Beard ME, Iske SDA, eds. *Lead in Paint, Soil and Dust: Health Risk Exposure Studies, Control Measures and Quality Assurance*. Philadelphia, Pa: American Society for Testing and Materials; 1995:175–187. ASTM STP 1226.
10. National Academy of Sciences, National Research Council. *Measuring Lead Exposure in Infants, Children and Other Sensitive Populations*. Washington, DC: National Academy Press; 1993.
11. *Standard Metal Directory*. New York, NY: Atlas Publishing Company; 1931, 1940, 1946, 1950, 1954, 1963–1964.
12. *Year Book of the American Bureau of Metal Statistics*. New York, NY: American Bureau of Metal Statistics Inc; 1945–1973.
13. *Non-Ferrous Metals Data*. New York, NY: American Bureau of Metal Statistics Inc; 1974–1990.
14. *1994 Directory, Lead Industries Association*. New York, NY: Lead Industries Association; 1994.
15. *The Lead Industry: A Comprehensive Review*. Trail, BC: The Consolidated Mining and Smelting Company of Canada Ltd [Cominco]; 1946.
16. Moore TM. *Industry Organization in Non-Ferrous Metals* [dissertation]. Berkeley: University of California; 1951.
17. Charles River Associates. *The Economic Effects of Pollution Controls on the Nonferrous Metals Industry: Lead*. Prepared for: the Council on Environmental Quality, Washington, DC. 1971. NTIS report PB207-155.
18. Smith RC, Daley MR. *Domestic Secondary Lead Industry: Production and Regulatory Compliance Costs*. Washington, DC: Bureau of Mines, US Dept of Interior; 1987. Information Circular 9156.
19. State of New Jersey, Department of Environmental Protection. Site remediation program, known contaminated sites in New Jersey. Available at: <http://www.state.nj.us/dep/srp>. Accessed September 1997.
20. Commonwealth of Pennsylvania, Department of Environmental Protection, Bureau of Land Recycling and Waste Management. Annual Report to the General Assembly Pursuant to the Hazardous Site Cleanup Act, Fiscal Year July 1, 1996 to June 30, 1997. October 1, 1997. Available at: [http://www.dep.state.pa.us/dep/deputate/airwaste/wm/hscp/docs/hasca\\_n rpt96-97.pdf](http://www.dep.state.pa.us/dep/deputate/airwaste/wm/hscp/docs/hasca_n rpt96-97.pdf). Accessed April 11, 2000.
21. Commonwealth of Massachusetts, Department of Environmental Protection, Bureau of Waste Site Cleanup. Waste site cleanup list. Available at: <http://www.state.ma.us/dep/bwsc/sites/sdown.htm>. Accessed April 5, 2000.
22. State of Michigan, Department of Environmental Quality, Environmental Response Division. Contaminated sites in Michigan. Available at: <http://www.deq.state.mi.us/erd/sites/misites.html>. Accessed September 14, 1999.
23. State of Texas, Texas Natural Resource Conservation Commission. List of Texas Superfund sites. Available at: <http://www.tnrcc.state.tx.us/permitting/remed/superfund/city.html>. Accessed May 11, 2000.
24. US Environmental Protection Agency. Unilateral Administrative Order, In the Matter of: Vickers Warehouse Site, Anderson, Ind. Docket No. V-W-96-C-338. US EPA Region 5 (February 2, 1996).

**This article has been cited by:**

1. Mercedes A. Bravo, Daniel R. Kowal, Dominique Zephyr, Joseph Feldman, Katherine Ensor, Marie Lynn Miranda. 2024. Spatial Variability in Relationships between Early Childhood Lead Exposure and Standardized Test Scores in Fourth Grade North Carolina Public School Students (2013–2016). *Environmental Health Perspectives* **132**:9. . [[Crossref](#)]
2. Lorenz Neuwirth, Kerry Whigham. 2023. “Only Time Will Tell”: The Underexplored Impacts of Lead Poisoning and COVID-19 on Pre-Existing ACEs in New York. *Youth* **3**:4, 1212-1224. [[Crossref](#)]
3. Mary Ellen Tuccillo, Julie Blue, Jonathan Koplos, Jack Kelly, Richard T. Wilkin. 2023. Complexities in attributing lead contamination to specific sources in an industrial area of Philadelphia, PA. *Heliyon* **9**:5, e15666. [[Crossref](#)]
4. Alexandra Maxim, Daniel J Bain, Jonathan Burgess. 2022. Urban soils in a historically industrial city: patterns of trace metals in Pittsburgh, Pennsylvania. *Environmental Research Communications* **4**:7, 075004. [[Crossref](#)]
5. H. Caballero-Gómez, H. K. White, M. J. O’Shea, R. Pepino, M. Howarth, R. Gieré. 2022. Spatial Analysis and Lead-Risk Assessment of Philadelphia, USA. *GeoHealth* **6**:3. . [[Crossref](#)]
6. Michael J. O’Shea, Jonas Toupal, Hasibe Caballero-Gómez, Thomas P. McKeon, Marilyn V. Howarth, Richard Pepino, Reto Gieré. 2021. Lead Pollution, Demographics, and Environmental Health Risks: The Case of Philadelphia, USA. *International Journal of Environmental Research and Public Health* **18**:17, 9055. [[Crossref](#)]
7. Ronnie Levin, Carolina L. Zilli Vieira, Marieke H. Rosenbaum, Karyn Bischoff, Daniel C. Mordarski, Mary Jean Brown. 2021. The urban lead (Pb) burden in humans, animals and the natural environment. *Environmental Research* **193**, 110377. [[Crossref](#)]
8. Jill E. Johnston, mark! Lopez, Matthew O. Gribble, Wendy Gutschow, Christine Austin, Manish Arora. 2019. A Collaborative Approach to Assess Legacy Pollution in Communities Near a Lead–Acid Battery Smelter: The “Truth Fairy” Project. *Health Education & Behavior* **46**:1\_suppl, 71S-80S. [[Crossref](#)]
9. Jill E. Johnston, Meredith Franklin, Hannah Roh, Christine Austin, Manish Arora. 2019. Lead and Arsenic in Shed Deciduous Teeth of Children Living Near a Lead–Acid Battery Smelter. *Environmental Science & Technology* **53**:10, 6000–6006. [[Crossref](#)]
10. Timothy Dignam, Ana Pomales, Lora Werner, E. Claire Newbern, James Hodge, Jay Nielsen, Aaron Grober, Karen Scruton, Rand Young, Jack Kelly, Mary Jean Brown. 2019. Assessment of Child Lead Exposure in a Philadelphia Community, 2014. *Journal of Public Health Management and Practice* **25**:1, 53–61. [[Crossref](#)]
11. Christopher Muller, Robert J. Sampson, Alix S. Winter. 2018. Environmental Inequality: The Social Causes and Consequences of Lead Exposure. *Annual Review of Sociology* **44**:1, 263–282. [[Crossref](#)]
12. ROBERT J. SAMPSON, ALIX S. WINTER. 2018. POISONED DEVELOPMENT: ASSESSING CHILDHOOD LEAD EXPOSURE AS A CAUSE OF CRIME IN A BIRTH COHORT FOLLOWED THROUGH ADOLESCENCE. *Criminology* **56**:2, 269–301. [[Crossref](#)]
13. Alix S. Winter, Robert J. Sampson. 2017. From Lead Exposure in Early Childhood to Adolescent Health: A Chicago Birth Cohort. *American Journal of Public Health* **107**:9, 1496–1501. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)] [[Supplemental Material](#)]
14. Anna M. Stefanowicz, Małgorzata Stanek, Marcin W. Woch. 2016. High concentrations of heavy metals in beech forest understory plants growing on waste heaps left by Zn-Pb ore mining. *Journal of Geochemical Exploration* **169**, 157–162. [[Crossref](#)]
15. Anna M. Stefanowicz, Małgorzata Stanek, Marcin W. Woch, Paweł Kapusta. 2016. The accumulation of elements in plants growing spontaneously on small heaps left by the historical Zn-Pb ore mining. *Environmental Science and Pollution Research* **23**:7, 6524–6534. [[Crossref](#)]
16. Robert J. Sampson, Alix S. Winter. 2016. THE RACIAL ECOLOGY OF LEAD POISONING. *Du Bois Review: Social Science Research on Race* **13**:2, 261–283. [[Crossref](#)]
17. Gregory Lusby, Cynthia Hall, James Reiners. 2015. Lead Contamination of Surface Soils in Philadelphia from Lead Smelters and Urbanization. *Environmental Justice* **8**:1, 6–14. [[Crossref](#)]
18. Michael Spear, Rebecca Thomas, Kristin Shrader-Frechette. 2015. Commentary: Flawed Science Delays Smelter Cleanup and Worsens Health. *Accountability in Research* **22**:1, 41–60. [[Crossref](#)]
19. James Morton Turner. 2015. Following the Pb: An Envirotechnical Approach to Lead–Acid Batteries in the United States. *Environmental History* **20**:1, 29–56. [[Crossref](#)]
20. Anna M. Stefanowicz, Marcin W. Woch, Paweł Kapusta. 2014. Inconspicuous waste heaps left by historical Zn–Pb mining are hot spots of soil contamination. *Geoderma* **235–236**, 1–8. [[Crossref](#)]
21. Yao Wang, Robert K. Kanter. 2014. Disaster-Related Environmental Health Hazards: Former Lead Smelting Plants in the United States. *Disaster Medicine and Public Health Preparedness* **8**:1, 44–50. [[Crossref](#)]

22. M. W. Woch, A. M. Stefanowicz, P. Kapusta. 2013. High thallium concentrations in soils from sites of historical Ag, Pb, and Zn mining in western Małopolska (S Poland). *E3S Web of Conferences* 1, 14004. [[Crossref](#)]
23. James R. Elliott, Scott Frickel. 2011. Environmental Dimensions of Urban Change: Uncovering Relict Industrial Waste Sites and Subsequent Land Use Conversions in Portland and New Orleans. *Journal of Urban Affairs* 33:1, 61-82. [[Crossref](#)]
24. Ronnie Levin, Mary Jean Brown, Michael E. Kashtock, David E. Jacobs, Elizabeth A. Whelan, Joanne Rodman, Michael R. Schock, Alma Padilla, Thomas Sinks. 2008. Lead Exposures in U.S. Children, 2008: Implications for Prevention. *Environmental Health Perspectives* 116:10, 1285-1293. [[Crossref](#)]
25. Travis Wagner, Samantha Langley-Turnbaugh. 2008. Case study: examining the contribution of historical sources of lead in urban soils in Portland, Maine, USA. *Journal of Environmental Planning and Management* 51:4, 525-541. [[Crossref](#)]
26. Scott Frickel, James R. Elliott. 2008. Tracking Industrial Land Use Conversions. *Organization & Environment* 21:2, 128-147. [[Crossref](#)]
27. Michael B. Rabinowitz. 2005. Lead isotopes in soils near five historic American lead smelters and refineries. *Science of The Total Environment* 346:1-3, 138-148. [[Crossref](#)]
28. Valerie B. Haley, Thomas O. Talbot. 2004. Geographic Analysis of Blood Lead Levels in New York State Children Born 1994-1997. *Environmental Health Perspectives* 112:15, 1577-1582. [[Crossref](#)]
29. Dale A. Stirling. 2001. LAND USE HISTORY AND PUBLIC HEALTH. *American Journal of Public Health* 91:12, 1917-1917. [[Citation](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
30. D. A. Henderson. 2001. BIOPREPAREDNESS AND PUBLIC HEALTH. *American Journal of Public Health* 91:12, 1917-a-1918. [[Citation](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
31. Elizabeth Fee, Theodore M. Brown. 2001. FEE AND BROWN RESPOND. *American Journal of Public Health* 91:12, 1918-1919. [[Citation](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
32. Gio Batta Gori. 2001. INDIVIDUALIZED OR POPULATION RISKS: WHAT IS THE ARGUMENT?. *American Journal of Public Health* 91:12, 1919-1919. [[Citation](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
33. John J. Chen. 2001. THE INTERPRETATION OF STATISTICALLY SIGNIFICANT RESULTS: THE IMPACT OF THE TAIWAN HELMET USE LAW. *American Journal of Public Health* 91:12, 1919-a-1920. [[Citation](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
34. 2001. ERRATUM. *American Journal of Public Health* 91:12, 1920-1920. [[Citation](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
35. Harwant Singh. 2001. Issues in Public Health: Assuaging Concern from Contaminated Land Resulting from Land Use Dynamics in Malaysia. *Asia Pacific Journal of Public Health* 13:2, 122-127. [[Crossref](#)]
36. 2001. Earth Day plus 30 years: public concern and support for environmental health. *American Journal of Public Health* 91:4, 559-562. [[Abstract](#)] [[PDF](#)] [[PDF Plus](#)]